ELSEVIER

Gait and Posture 25 (2007) 657–660

GAIT POSTURE

www.elsevier.com/locate/gaitpost

Author index

Volume 25 (2007)

Abboud, R.J., see Putti, A.B. **25**, 401
Abdala, E., see Petuskey, K. **25**, 573
Adamcova, N., F. Hlavacka, Modification of human postural responses to soleus muscle vibration by rotation of visual scene **25**, 99
Adkin, A.L., see Fuller, J.R. **25**, 393
Aerts, P., see Segers, V. **25**, 639
Alexander, N.B., see Schulz, B.W. **25**, 515
Aminian, K., see Coley, B. **25**, 523
Arampatzis, A., see Karamanidis, K. **25**, 590
Armand, S., E. Watelain, E. Roux, M. Mercier, F.-X. Lepoutre, Linking clinical measurements and kinematic gait patterns of toe-walking using fuzzy decision trees **25**, 475
Arnold, G.P., see Putti, A.B. **25**, 401
Ashton-Miller, J.A., see Schulz, B.W. **25**, 515
Astephen, J.L., see Deluzio, K.J. **25**, 86
Attfield, S., see Barton, G. **25**, 374

Bagley, A., see Petuskey, K. **25**, 573
Baker, R., see Dobson, F. **25**, 140
Baker, R., see Schache, A.G. **25**, 440
Ballantyne, B.T., see McCrory, J.L. **25**, 544
Baltzopoulos, V., see Mian, O.S. **25**, 9
Baltzopoulos, V., see Paschalis, V. **25**, 236
Barreto, M.M., see Kawamura, C.M. **25**, 18
Barton, G., P. Lisboa, A. Lees, S. Attfield, Gait quality assessment using self-organising artificial neural networks **25**, 374
Bartonek, Å., M. Eriksson, E.M. Gutierrez-Farewik, A new carbon fibre spring orthosis for children with plantarflexor weakness **25**, 652
Begg, R., R. Best, L. Dell'Oro, S. Taylor, Minimum foot clearance during walking: Strategies for the minimisation of trip-related falls **25**, 191
Begon, M., T. Monnet, P. Lacouture, Effects of movement for estimating the hip joint centre **25**, 353
Béliveau, L., see Centomo, H. **25**, 509
Benedetti, M.G., see Leardini, A. **25**, 453
Bernatz, G.C., see Glaister, B.C. **25**, 289
Berti, L., see Leardini, A. **25**, 453
Best, R., see Begg, R. **25**, 191
Bettinelli, D., see Leardini, A. **25**, 453
Biden, E.N., see Chester, V.L. **25**, 549
Bilney, B., see Morris, M.E. **25**, 229
Bisiaux, M., see Moretto, P. **25**, 40
Blatt, J.-L., see Delval, A. **25**, 279
Blumentritt, S., see Schmalz, T. **25**, 267
Bouisset, S., see Hamaoui, A. **25**, 199
Bourgeois, A., see Coley, B. **25**, 523
Bourriez, J.-L., see Delval, A. **25**, 279
Brunner, R., see Meichtry, A. **25**, 25
Buckley, J.G., see Pohl, M.B. **25**, 295
Byrne, E.M., see Norris, J.A. **25**, 620

Catena, R.D., P. van Donkelaar, L.-S. Chou, Altered balance control following concussion is better detected with an attention test during gait **25**, 406
Caulfield, B., see Monaghan, K. **25**, 303
Centomo, H., N. Termoz, S. Savoie, L. Béliveau, F. Prince, Postural control following a self-initiated reaching task in type 2 diabetic patients and age-matched controls **25**, 509
Cham, R., see Chambers, A.J. **25**, 565
Chambers, A.J., R. Cham, Slip-related muscle activation patterns in the stance leg during walking **25**, 565
Chen, Y.-C., see Yang, Y.-R. **25**, 185
Cheng, S.-J., see Yang, Y.-R. **25**, 185
Chester, V.L., M. Tingley, E.N. Biden, An extended index to quantify normality of gait in children **25**, 549
Chiu, C.-Y.P., see Ramenzoni, V.C. **25**, 368
Chiu, M.-C., M.-J. Wang, The effect of gait speed and gender on perceived exertion, muscle activity, joint motion of lower extremity, ground reaction force and heart rate during normal walking **25**, 385
Chou, L.-S., see Catena, R.D. **25**, 406
Chuang, L.-L., see Rosengren, K.S. **25**, 215
Cioni, G., see Coluccini, M. **25**, 493
Cochrane, L., see Putti, A.B. **25**, 401
Coley, B., B.M. Jolles, A. Farron, A. Bourgeois, F. Nussbaumer, C. Piclonnaz, K. Aminian, Outcome evaluation in shoulder surgery using 3D kinematics sensors **25**, 523
Coluccini, M., E.S. Maini, C. Martelloni, G Sgandurra, G. Cioni, Kinematic characterization of functional reach to grasp in normal and in motor disabled children **25**, 493
Contakos, J., see Rosengren, K.S. **25**, 215

Dalton, G.W., see Morris, M.E. **25**, 229
Daly, J.J., K. Sng, K. Roenigk, E. Fredrickson, M. Dohring, Intra-limb coordination deficit in stroke survivors and response to treatment **25**, 412
Dannecker, G.E., see Kuemmerle-Deschner, J.B. **25**, 615
Davis, I., see McCrory, J.L. **25**, 544
De Clercq, D., see Segers, V. **25**, 639
de Guise, J.A., see Südhoff, I. **25**, 533
De Haven, K.E., see Houck, J.R. **25**, 628
de Morais Filho, M.C., see Kawamura, C.M. **25**, 18
de Paula Asa, S.K., see Kawamura, C.M. **25**, 18
Defebvre, L., see Delval, A. **25**, 279
Delahunt, E., see Monaghan, K. **25**, 303
Delaney, R., see Wakeling, J. **25**, 580
Dell'Oro, L., see Begg, R. **25**, 191
Deluzio, K.J., J.L. Astephen, Biomechanical features of gait waveform data associated with knee osteoarthritis. An application of principal component analysis **25**, 86

doi:10.1016/S0966-6362(07)00054-9

Delval, A., P. Krystkowiak, J.-L. Blatt, E. Labyt, J.-L. Bourriez, K. Dujardin, A. Destée, P. Derambure, L. Defebvre, A biomechanical study of gait initiation in Huntington's disease **25**, 279
Den Otter, A.R., A.C.H. Geurts, T. Mulder, J. Duysens, Abnormalities in the temporal patterning of lower extremity muscle activity in hemiparetic gait **25**, 342
Derambure, P., see Delval, A. **25**, 279
Destée, A., see Delval, A. **25**, 279
Deviterne, D., see Jamet, M. **25**, 179
Dijkstra, P.U., see Hijmans, J.M. **25**, 316
Dobson, F., M.E. Morris, R. Baker, H.K. Graham, Gait classification in children with cerebral palsy: A systematic review **25**, 140
Dohring, M., see Daly, J.J. **25**, 412
Doyle, R., see Rosengren, K.S. **25**, 215
Doyle, R.J., E.T. Hsiao-Wecksler, B.G. Ragan, K.S. Rosengren, Generalizability of center of pressure measures of quiet standing **25**, 166
Draganich, L.F., see Pandya, N.K. **25**, 106
Dudkiewicz, I., see Wakeling, J. **25**, 580
Dujardin, K., see Delval, A. **25**, 279
Dusing, S.C., D.E. Thorpe, A normative sample of temporal and spatial gait parameters in children using the GAITRite® electronic walkway **25**, 135
Duysens, J., see Den Otter, A.R. **25**, 342

Edwards, W.B., see Hreljac, A. **25**, 419
Edwards, W.T., Effect of joint stiffness on standing stability **25**, 432
England, S.A., K.P. Granata, The influence of gait speed on local dynamic stability of walking **25**, 172
Epifanio, I., see Page, A. **25**, 153
Eriksson, M., see Bartonek, Å. **25**, 652
Escamilla, R.F., see Hreljac, A. **25**, 419
Eve, L.C., see McNee, A.E. **25**, 463

Farren, P.C., see Toro, B. **25**, 157
Farron, A., see Coley, B. **25**, 523
Fitzpatrick, R.C., see Menz, H.B. **25**, 243
Forth, K.E., E.J. Metter, W.H. Paloski, Age associated differences in postural equilibrium control: A comparison between EQscore and minimum time to contact (TTC_{min}) **25**, 56
Frank, J.S., see Gage, W.H. **25**, 112
Fredrickson, E., see Daly, J.J. **25**, 412
Fujishima, K., see Masumoto, K. **25**, 222
Fujiwara, K., see Maeda, K. **25**, 78
Fuller, J.R., A.L. Adkin, L.A. Vallis, Strategies used by older adults to change travel direction **25**, 393

Gage, W.H., J.S. Frank, S.D. Prentice, P. Stevenson, Organization of postural responses following a rotational support surface perturbation, after TKA: Sagittal plane rotations **25**, 112
Gatts, S.K., M.H. Woollacott, How Tai Chi improves balance: Biomechanics of recovery to a walking slip in impaired seniors **25**, 205
Gauchard, G.C., see Jamet, M. **25**, 179
Gazendam, M.G.J., A.L. Hof, Averaged EMG profiles in jogging and running at different speeds **25**, 604
Geertzen, J.H.B., see Hijmans, J.M. **25**, 316
Geurts, A.C.H., see Den Otter, A.R. **25**, 342
Giakas, G., see Paschalis, V. **25**, 236
Giannini, S., see Leardini, A. **25**, 453
Gibson, J.N.A., see Stewart, L. **25**, 648
Gilleard, W., see Levinger, P. **25**, 2
Glaister, B.C., G.C. Bernatz, G.K. Klute, M.S. Orendurff, Video task analysis of turning during activities of daily living **25**, 289
Gobelet, C., see Meichtry, A. **25**, 25
Goldberg, E.J., R.R. Neptune, Compensatory strategies during normal walking in response to muscle weakness and increased hip joint stiffness **25**, 360
Goodwin, C.R., see Perry, S.D. **25**, 94
Gough, M., see McNee, A.E. **25**, 463
Graham, H.K., see Dobson, F. **25**, 140
Granata, K.P., see England, S.A. **25**, 172
Granata, K.P., see Norris, J.A. **25**, 620
Gupta, R., see Houck, J.R. **25**, 628
Gutierrez-Farewik, E.M., see Bartonek, Å. **25**, 652

Hage, J.J., see Kreulen, M. **25**, 485
Hamaoui, A., S. Le Bozec, L. Poupard, S. Bouisset, Does postural chain muscular stiffness reduce postural steadiness in a sitting posture? **25**, 199
Hansen, D.K., see Ringleb, S.I. **25**, 555
Hansmann, S., see Kuemmerle-Deschner, J.B. **25**, 615
Hazlewood, M.E., A.N. Simmons, W.T. Johnson, A.M. Richardson, M.L. van der Linden, S.J. Hillman, J.E. Robb, The Footprint method to assess transmalleolar axis **25**, 597
Hertel, J., L.C. Olmsted-Kramer, Deficits in time-to-boundary measures of postural control with chronic ankle instability **25**, 33
Hijmans, J.M., J.H.B. Geertzen, P.U. Dijkstra, K. Postema, A systematic review of the effects of shoes and other ankle or foot appliances on balance in older people and people with peripheral nervous system disorders **25**, 316
Hillman, S.J., see Hazlewood, M.E. **25**, 597
Hlavacka, F., see Adamcova, N. **25**, 99
Hof, A.L., R.M. van Bockel, T. Schoppen, K. Postema, Control of lateral balance in walking. Experimental findings in normal subjects and above-knee amputees **25**, 250
Hof, A.L., see Gazendam, M.G.J. **25**, 604
Hotta, N., see Masumoto, K. **25**, 222
Houck, J.R., G.E. Wilding, R. Gupta, K.E. De Haven, M. Maloncy, Analysis of EMG patterns of control subjects and subjects with ACL deficiency during an unanticipated walking cut task **25**, 628
Howe, J.A., see Niechwiej-Szwedo, E. **25**, 70
Hreljac, A., R. Imamura, R.F. Escamilla, W.B. Edwards, Effects of changing protocol, grade, and direction on the preferred gait transition speed during human locomotion **25**, 419
Hsiao-Wecksler, E.T., see Doyle, R.J. **25**, 166

Imamura, R., see Hreljac, A. **25**, 419
Inness, E.L., see Niechwiej-Szwedo, E. **25**, 70
Ishikawa, M., J. Pakaslahti, P.V. Komi, Medial gastrocnemius muscle behavior during human running and walking **25**, 380
Iwamoto, Y., see Masumoto, K. **25**, 222

Jaglal, S., see Niechwiej-Szwedo, E. **25**, 70
James, M.A., see Petuskey, K. **25**, 573
Jamet, M., D. Deviterne, G.C. Gauchard, G. Vançon, P.P. Perrin, Age-related part taken by attentional cognitive processes in standing postural control in a dual-task context **25**, 179
Jamurtas, A.Z., see Paschalis, V. **25**, 236
Jenkinson, A., see O'Sullivan, R. **25**, 425
Johnson, W.T., see Hazlewood, M.E. **25**, 597
Jolles, B.M., see Coley, B. **25**, 523
Juliano, Y., see Kawamura, C.M. **25**, 18

Karamanidis, K., A. Arampatzis, Aging and running experience affects the gearing in the musculoskeletal system of the lower extremities while walking **25**, 590
Kaufman, K.R., see Ringleb, S.I. **25**, 555
Kavros, S.J., see Ringleb, S.I. **25**, 555
Kawamura, C.M., M.C. de Morais Filho, M.M. Barreto, S.K. de Paula Asa, Y. Juliano, N.F. Novo, Comparison between visual and three-dimensional gait analysis in patients with spastic diplegic cerebral palsy **25**, 18
Kenyon, R.V., see Streepey, J.W. **25**, 49
Keshner, E.A., see Streepey, J.W. **25**, 49
Khamis, S., Z. Yizhar, Effect of feet hyperpronation on pelvic alignment in a standing position **25**, 127

Kirby, K.A., see Lewis, G.S. **25**, 63
Kitaoka, H.B., see Ringleb, S.I. **25**, 555
Klute, G.K., see Glaister, B.C. **25**, 289
Komi, P.V., see Ishikawa, M. **25**, 380
Kotajarvi, B.R., see Ringleb, S.I. **25**, 555
Kotzamanidis, C., see Paschalis, V. **25**, 236
Koutedakis, Y., see Paschalis, V. **25**, 236
Kreulen, M., M.J.C. Smeulders, H.E.J. Veeger, J.J. Hage, Movement patterns of the upper extremity and trunk associated with impaired forearm rotation in patients with hemiplegic cerebral palsy compared to healthy controls **25**, 485
Krystkowiak, P., see Delval, A. **25**, 279
Kuemmerle-Deschner, J.B., S. Hansmann, H. Rapp, G.E. Dannecker, A new model for the determination of limb segment mass in children **25**, 615

Labyt, E., see Delval, A. **25**, 279
Lacouture, P., see Begon, M. **25**, 353
Lafortune, M.A., see Moretto, P. **25**, 40
Laporte, S., see Südhoff, I. **25**, 533
Le Bozec, S., see Hamaoui, A. **25**, 199
Leardini, A., M.G. Benedetti, L. Berti, D. Bettinelli, R. Nativo, S. Giannini, Rear-foot, mid-foot and fore-foot motion during the stance phase of gait **25**, 453
Lee, C.-S., see Yang, Y.-R. **25**, 185
Lees, A., see Barton, G. **25**, 374
Lepoutre, F.-X., see Armand, S. **25**, 475
Lenoir, M., see Segers, V. **25**, 639
Levinger, P., W. Gilleard, Tibia and rearfoot motion and ground reaction forces in subjects with patellofemoral pain syndrome during walking **25**, 2
Lewis, G.S., K.A. Kirby, S.J. Piazza, Determination of subtalar joint axis location by restriction of talocrural joint motion **25**, 63
Lin, J.-P., see McNee, A.E. **25**, 463
Lisboa, P., see Barton, G. **25**, 374
Lord, S.R., see Menz, H.B. **25**, 243
Lovejoy, C.O., The natural history of human gait and posture. Part 3. The knee **25**, 325
Lowrey, C.R., R.J. Reed, L.A. Vallis, Control strategies used by older adults during multiple obstacle avoidance **25**, 502

Maeda, K., K. Fujiwara, Effects of preparatory period on anticipatory postural control and contingent negative variation associated with rapid arm movement in standing posture **25**, 78
Maini, E.S., see Coluccini, M. **25**, 493
Maloney, M., see Houck, J.R. **25**, 628
Marsh, A.P., see Norris, J.A. **25**, 620
Martelloni, C., see Coluccini, M. **25**, 493
Marx, B., see Schmalz, T. **25**, 267
Masumoto, K., S.-i. Takasugi, N. Hotta, K. Fujishima, Y. Iwamoto, A comparison of muscle activity and heart rate response during backward and forward walking on an underwater treadmill **25**, 222
Matyas, T.A., see Morris, M.E. **25**, 229
McAuley, E., see Rosengren, K.S. **25**, 215
McCrory, J.L., N.E. Quick, R. Shapiro, B.T. Ballantyne, I. Davis, The effect of a single treatment of the Protonics™ system on lower extremity kinematics during gait and the lateral step up exercise **25**, 544
McIlroy, W.E., see Niechwiej-Szwedo, E. **25**, 70
McNee, A.E., E. Will, J.-P. Lin, L.C. Eve, M. Gough, M.C. Morrissey, A.P. Shortland, The effect of serial casting on gait in children with cerebral palsy: preliminary results from a crossover trial **25**, 463
Meichtry, A., J. Romkes, C. Gobelet, R. Brunner, R. Müller, Criterion validity of 3D trunk accelerations to assess external work and power in able-bodied gait **25**, 25
Meijer, K., see Savelberg, H.H.C.M. **25**, 259
Menz, H.B., S.R. Lord, R.C. Fitzpatrick, A structural equation model relating impaired sensorimotor function, fear of falling and gait patterns in older people **25**, 243
Mercier, M., see Armand, S. **25**, 475
Messenger, N., see Pohl, M.B. **25**, 295
Metter, E.J., see Forth, K.E. **25**, 56
Mian, O.S., J.M. Thom, M.V. Narici, V. Baltzopoulos, Kinematics of stair descent in young and older adults and the impact of exercise training **25**, 9
Mitros, M.R., see Norris, J.A. **25**, 620
Monaghan, K., E. Delahunt, B. Caulfield, Increasing the number of gait trial recordings maximises intra-rater reliability of the CODA motion analysis system **25**, 303
Monnet, T., see Begon, M. **25**, 353
Moretto, P., M. Bisiaux, M.A. Lafortune, Froude number fractions to increase walking pattern dynamic similarities: Application to plantar pressure study in healthy subjects **25**, 40
Morris, M.E., B. Bilney, T.A. Matyas, G.W. Dalton, Short-term relationships between footstep variables in young adults **25**, 229
Morris, M.E., see Dobson, F. **25**, 140
Morrissey, M.C., see McNee, A.E. **25**, 463
Mulder, T., see Den Otter, A.R. **25**, 342
Müller, R., see Meichtry, A. **25**, 25

Narici, M.V., see Mian, O.S. **25**, 9
Nativo, R., see Leardini, A. **25**, 453
Neptune, R.R., see Goldberg, E.J. **25**, 360
Nester, C.J., see Toro, B. **25**, 157
Niechwiej-Szwedo, E., E.L. Inness, J.A. Howe, S. Jaglal, W.E. McIlroy, M.C. Verrier, Changes in gait variability during different challenges to mobility in patients with traumatic brain injury **25**, 70
Norris, J.A., K.P. Granata, M.R. Mitros, E.M. Byrne, A.P. Marsh, Effect of augmented plantarflexion power on preferred walking speed and economy in young and older adults **25**, 620
Novo, N.F., see Kawamura, C.M. **25**, 18
Nussbaumer, F., see Coley, B. **25**, 523

O'Brien, T., see O'Sullivan, R. **25**, 425
O'Connor, C.M., S.K. Thorpe, M.J. O'Malley, C.L. Vaughan, Automatic detection of gait events using kinematic data **25**, 469
O'Malley, M.J., see O'Connor, C.M. **25**, 469
O'Sullivan, R., M. Walsh, A. Jenkinson, T. O'Brien, Factors associated with pelvic retraction during gait in cerebral palsy **25**, 425
Olmsted-Kramer, L.C., see Hertel, J. **25**, 33
Orendurff, M.S., see Glaister, B.C. **25**, 289

Page, A., I. Epifanio, A simple model to analyze the effectiveness of linear time normalization to reduce variability in human movement analysis **25**, 153
Pakaslahti, J., see Ishikawa, M. **25**, 380
Paloski, W.H., see Forth, K.E. **25**, 56
Pandya, N.K., G.A. Piotrowski, L. Pottenger, L.F. Draganich, Pain relief in knee osteoarthritis reduces the propensity to trip on an obstacle **25**, 106
Paschalis, V., G. Giakas, V. Baltzopoulos, A.Z. Jamurtas, V. Theoharis, C. Kotzamanidis, Y. Koutedakis, The effects of muscle damage following eccentric exercise on gait biomechanics **25**, 236
Perrin, P.P., see Jamet, M. **25**, 179
Perry, S.D., A. Radtke, C.R. Goodwin, Influence of footwear midsole material hardness on dynamic balance control during unexpected gait termination **25**, 94
Peterson, M., see Rosengren, K.S. **25**, 215
Petuskey, K., A. Bagley, E. Abdala, M.A. James, G. Rab, Upper extremity kinematics during functional activities: Three-dimensional studies in a normal pediatric population **25**, 573
Piazza, S.J., see Lewis, G.S. **25**, 63
Pichonnaz, C., see Coley, B. **25**, 523
Piotrowski, G.A., see Pandya, N.K. **25**, 106
Pohl, M.B., N. Messenger, J.G. Buckley, Forefoot, rearfoot and shank coupling: Effect of variations in speed and mode of gait **25**, 295
Postema, K., see Hijmans, J.M. **25**, 316

Postema, K., see Hof, A.L. **25**, 250
Pottenger, L., see Pandya, N.K. **25**, 106
Poupard, L., see Hamaoui, A. **25**, 199
Prentice, S.D., see Gage, W.H. **25**, 112
Prince, F., see Centomo, H. **25**, 509
Putti, A.B., G.P. Arnold, L. Cochrane, R.J. Abboud, The Pedar® in-shoe system: Repeatability and normal pressure values **25**, 401

Quick, N.E., see McCrory, J.L. **25**, 544

Rab, G., see Petuskey, K. **25**, 573
Radtke, A., see Perry, S.D. **25**, 94
Ragan, B.G., see Doyle, R.J. **25**, 166
Rajendran, K., see Rosengren, K.S. **25**, 215
Ramenzoni, V.C., M.A. Riley, K. Shockley, C.-Y.P. Chiu, Postural responses to specific types of working memory tasks **25**, 368
Rapp, H., see Kuemmerle-Deschner, J.B. **25**, 615
Reed, R.J., see Lowrey, C.R. **25**, 502
Richardson, A.M., see Hazlewood, M.E. **25**, 597
Riley, M.A., see Ramenzoni, V.C. **25**, 368
Ringleb, S.I., S.J. Kavros, B.R. Kotajarvi, D.K. Hansen, H.B. Kitaoka, K.R. Kaufman, Changes in gait associated with acute stage II posterior tibial tendon dysfunction **25**, 555
Robb, J.E., see Hazlewood, M.E. **25**, 597
Roenigk, K., see Daly, J.J. **25**, 412
Romkes, J., see Meichtry, A. **25**, 25
Rosengren, K.S., K. Rajendran, J. Contakos, L.-L. Chuang, M. Peterson, R. Doyle, E. McAuley, Changing control strategies during standard assessment using computerized dynamic posturography with older women **25**, 215
Rosengren, K.S., see Doyle, R.J. **25**, 166
Roux, E., see Armand, S. **25**, 475

Savelberg, H.H.C.M., L.B. Verdijk, P.J.B. Willems, K. Meijer, The robustness of age-related gait adaptations: Can running counterbalance the consequences of ageing? **25**, 259
Savoie, S., see Centomo, H. **25**, 509
Schache, A.G., R. Baker, On the expression of joint moments during gait **25**, 440
Schmalz, T., S. Blumentritt, B. Marx, Biomechanical analysis of stair ambulation in lower limb amputees **25**, 267
Schoppen, T., see Hof, A.L. **25**, 250
Schulz, B.W., J.A. Ashton-Miller, N.B. Alexander, A kinematic analysis of the rapid step test in balance-impaired and unimpaired older women **25**, 515
Segers, V., M. Lenoir, P. Aerts, D.De Clercq, Influence of M. tibialis anterior fatigue on the walk-to-run and run-to-walk transition in non-steady state locomotion **25**, 639
Sgandurra, G., see Coluccini, M. **25**, 493
Shapiro, R., see McCrory, J.L. **25**, 544
Shockley, K., see Ramenzoni, V.C. **25**, 368
Shortland, A.P., see McNee, A.E. **25**, 463
Simmons, A.N., see Hazlewood, M.E. **25**, 597
Siu, K.-C., M.H. Woollacott, Attentional demands of postural control: The ability to selectively allocate information-processing resources **25**, 121
Skalli, W., see Südhoff, I. **25**, 533
Smeulders, M.J.C., see Kreulen, M. **25**, 485
Sng, K., see Daly, J.J. **25**, 412
Stevenson, P., see Gage, W.H. **25**, 112
Stewart, L., J.N.A. Gibson, C.E. Thomson, In-shoe pressure distribution in "unstable" (MBT) shoes and flat-bottomed training shoes: A comparative study **25**, 648
Streepey, J.W., R.V. Kenyon, E.A. Keshner, Field of view and base of support width influence postural responses to visual stimuli during quiet stance **25**, 49
Südhoff, I., S. Van Driessche, S. Laporte, J.A. de Guise, W. Skalli, Comparing three attachment systems used to determine knee kinematics during gait **25**, 533

Takasugi, S.-i., see Masumoto, K. **25**, 222
Taylor, S., see Begg, R. **25**, 191
Termoz, N., see Centomo, H. **25**, 509
Theoharis, V., see Paschalis, V. **25**, 236
Theologis, T., Editorial **25**, 1
Thom, J.M., see Mian, O.S. **25**, 9
Thomson, C.E., see Stewart, L. **25**, 648
Thorpe, D.E., see Dusing, S.C. **25**, 135
Thorpe, S.K., see O'Connor, C.M. **25**, 469
Tingley, M., see Chester, V.L. **25**, 549
Toro, B., C.J. Nester, P.C. Farren, Cluster analysis for the extraction of sagittal gait patterns in children with cerebral palsy **25**, 157

Vallis, L.A., see Fuller, J.R. **25**, 393
Vallis, L.A., see Lowrey, C.R. **25**, 502
van Bockel, R.M., see Hof, A.L. **25**, 250
van der Linden, M.L., see Hazlewood, M.E. **25**, 597
van Donkelaar, P., see Catena, R.D. **25**, 406
Van Driessche, S., see Südhoff, I. **25**, 533
Vançon, G., see Jamet, M. **25**, 179
Vaughan, C.L., see O'Connor, C.M. **25**, 469
Veeger, H.E.J., see Kreulen, M. **25**, 485
Verdijk, L.B., see Savelberg, H.H.C.M. **25**, 259
Verrier, M.C., see Niechwiej-Szwedo, E. **25**, 70

Wakeling, J., R. Delaney, I. Dudkiewicz, A method for quantifying dynamic muscle dysfunction in children and young adults with cerebral palsy **25**, 580
Walsh, M., see O'Sullivan, R. **25**, 425
Wang, M.-J., see Chiu, M.-C. **25**, 385
Wang, R.-Y., see Yang, Y.-R. **25**, 185
Watelain, E., see Armand, S. **25**, 475
Wilding, G.E., see Houck, J.R. **25**, 628
Will, E., see McNee, A.E. **25**, 463
Willems, P.J.B., see Savelberg, H.H.C.M. **25**, 259
Woollacott, M.H., see Gatts, S.K. **25**, 205
Woollacott, M.H., see Siu, K.-C. **25**, 121

Yang, Y.-R., Y.-C. Chen, C.-S. Lee, S.-J. Cheng, R.-Y. Wang, Dual-task-related gait changes in individuals with stroke **25**, 185
Yizhar, Z., see Khamis, S. **25**, 127

ELSEVIER

Gait and Posture 25 (2007) 661–668

GAIT POSTURE

www.elsevier.com/locate/gaitpost

Subject index

Volume 25 (2007)

Accelerometers and gyroscopes; Outcome evaluation; Clinical scores; Ambulatory system **25**, 523

Accelerometry; Gait; External work; Outcome **25**, 25

Accidental falls; Gait; Ageing; Balance **25**, 243

ACL; Knee; Motor control; Electromyography; Anticipation **25**, 628

Activities daily living; Upper extremity; 3D kinematics; Normal; Motion analysis **25**, 573

AFO; Motor disorder; Calf muscle paresis; Ankle power; Joint work **25**, 652

Ageing; Gait; Balance; Accidental falls **25**, 243

Ageing; Locomotion; Coordination; Center of mass; Multiple obstacle avoidance; Gait **25**, 502

Ageing; Postural control; Dual-task; Cognitive tasks; Attentional resources **25**, 179

Ageing; Staircase; Gait; Elderly; Intervention **25**, 9

Aging; Stability boundary; Dynamic posturography **25**, 56

Aging; Tai Chi; Falls; Human locomotion; Dynamic balance recovery; Gait; Balance; Posture **25**, 205

Akinesia; Huntington's disease; Gait initiation; Chorea; Hypokinesia **25**, 279

Algorithm; Walking; Gait events; Heel strike; Toe off **25**, 469

Ambulation; Gait; GAITRite®; Pediatric; Normative **25**, 135

Ambulation; Turning; Gait; Locomotion; Video task analysis **25**, 289

Ambulatory system; Outcome evaluation; Accelerometers and gyroscopes; Clinical scores **25**, 523

Anatomical reference frames; Rear-foot; Mid-foot; Fore-foot; Metatarsus; Metatarsal bones; Metatarso-phalangeal joint; Kinematics; Gait analysis **25**, 453

Ankle power; AFO; Motor disorder; Calf muscle paresis; Joint work **25**, 652

Ankle strategy; Inverted pendulum model; Stepping strategy; Equilibrium; Gait **25**, 250

Ankle; Subtalar; Functional; Joint axis **25**, 63

Anthropometry; Limb segment; Mass; Torque; Children; Model; Kinetic **25**, 615

Anticipation; Knee; ACL; Motor control; Electromyography **25**, 628

Anticipatory postural adjustment; Biomechanics; Stepping; Rapid Step Test; Balance **25**, 515

Anticipatory postural control; Contingent negative variation; Standing posture; Upper limb movement **25**, 78

Anticipatory; Steering; Locomotion; Coordination; Balance confidence; Older adults **25**, 393

Ascending stairs; Lower limb amputees; Descending stairs; Biomechanics; Gait analysis **25**, 267

Attachment systems; Gait analysis; Knee kinematics; Soft tissue artefacts **25**, 533

Attention; Concussion; Cognition; Secondary task; Gait **25**, 406

Attention; Posture; Dual-task paradigm; Information-processing **25**, 121

Attentional resources; Postural control; Ageing; Dual-task; Cognitive tasks **25**, 179

Australopithecus; Gait; Human locomotion; Knee; Patella; Hominid; Human evolution **25**, 325

Autocorrelation; Gait; Locomotion; Variability; Footsteps **25**, 229

Backward; EMG; HR; Water; Gait **25**, 222

Balance; Biomechanics; Joint stiffness; Postural control; Stability threshold **25**, 432

Balance; Biomechanics; Stepping; Rapid Step Test; Anticipatory postural adjustment **25**, 515

Balance; Center of pressure; Generalizability; Quiet standing; Reliability **25**, 166

doi:10.1016/S0966-6362(07)00055-0

Balance; Computerized dynamic posturography; Spectral analysis **25**, 215

Balance confidence; Steering; Locomotion; Coordination; Anticipatory; Older adults **25**, 393

Balance control; Total knee arthroplasty; Osteoarthritis; Postural perturbation **25**, 112

Balance; Footwear; Orthotics; Older people; Peripheral neuropathy **25**, 316

Balance; Gait; Ageing; Accidental falls **25**, 243

Balance; Recurrent ankle sprain; Stabilometry **25**, 33

Balance; Tai Chi; Falls; Human locomotion; Dynamic balance recovery; Aging; Gait; Posture **25**, 205

Base of support; Posture; Virtual reality; Vision; Sensory re-weighting **25**, 49

Biomechanics; Gait analysis; Clinical interpretation; Fuzzy decision tree; Toe-walking **25**, 475

Biomechanics; Gait transition; M. tibialis anterior; EMG **25**, 639

Biomechanics; Joint stiffness; Postural control; Balance; Stability threshold **25**, 432

Biomechanics; Lower limb amputees; Descending stairs; Ascending stairs; Gait analysis **25**, 267

Biomechanics; Stepping; Rapid Step Test; Anticipatory postural adjustment; Balance **25**, 515

Calf muscle paresis; AFO; Motor disorder; Ankle power; Joint work **25**, 652

Center of mass; Ageing; Locomotion; Coordination; Multiple obstacle avoidance; Gait **25**, 502

Center of pressure; Functional reach; Posture; Dynamic balance; Diabetes **25**, 509

Center of pressure; Generalizability; Quiet standing; Reliability; Balance **25**, 166

Cerebral palsy; Cluster analysis; Sagittal gait patterns; Observational gait assessment; Physical therapy **25**, 157

Cerebral palsy; Electromyography; Muscle; Co-contraction; Walking **25**, 580

Cerebral palsy; Gait patterns; Classification system; Validity; Systematic review **25**, 140

Cerebral palsy; Gait; Pelvic retraction **25**, 425

Cerebral palsy; Movement patterns; Upper extremity; Forearm rotation **25**, 485

Cerebral palsy; Reaching; Kinematic analysis; Movement disorders **25**, 493

Cerebral palsy; Serial casting; Gait analysis **25**, 463

Cerebral palsy; Spastic diplegia; Gait analysis; Gait laboratory; Visual gait assessment **25**, 18

Children; Limb segment; Mass; Torque; Model; Anthropometry; Kinetic **25**, 615

Chorea; Huntington's disease; Gait initiation; Akinesia; Hypokinesia **25**, 279

Classification system; Cerebral palsy; Gait patterns; Validity; Systematic review **25**, 140

Clinical interpretation; Gait analysis; Biomechanics; Fuzzy decision tree; Toe-walking **25**, 475

Clinical measurement; Transmalleolar axis; Reliability **25**, 597

Clinical scores; Outcome evaluation; Accelerometers and gyroscopes; Ambulatory system **25**, 523

Cluster analysis; Cerebral palsy; Sagittal gait patterns; Observational gait assessment; Physical therapy **25**, 157

Co-contraction; Electromyography; Cerebral palsy; Muscle; Walking **25**, 580

CODA; Intra-rater reliability; Kinematics; Kinetics; Spatio-temporal parameters **25**, 303

Cognition; Concussion; Secondary task; Attention; Gait **25**, 406

Cognitive tasks; Postural control; Ageing; Dual-task; Attentional resources **25**, 179

Computerized dynamic posturography; Balance; Spectral analysis **25**, 215

Concussion; Cognition; Secondary task; Attention; Gait **25**, 406

Contingent negative variation; Anticipatory postural control; Standing posture; Upper limb movement **25**, 78

Coordination; Ageing; Locomotion; Center of mass; Multiple obstacle avoidance; Gait **25**, 502

Coordination; Locomtion; Gait; Stroke; Rehabilitation; Electrical stimulation; Gait biomechanics; Functional neuromuscular stimulation **25**, 412

Coordination; Steering; Locomotion; Anticipatory; Balance confidence; Older adults **25**, 393

Descending stairs; Lower limb amputees; Ascending stairs; Biomechanics; Gait analysis **25**, 267

Descriptive statistics; Gait; Minimum foot clearance; Tripping **25**, 191

Detrended fluctuation analysis; Postural control; Working memory; Dual-tasking **25**, 368

Diabetes; Functional reach; Center of pressure; Posture; Dynamic balance **25**, 509

Dual-task paradigm; Posture; Attention; Information-processing **25**, 121

Dual-task; Postural control; Ageing; Cognitive tasks; Attentional resources **25**, 179

Dual-tasking; Postural control; Working memory; Detrended fluctuation analysis **25**, 368

Dynamic balance; Functional reach; Center of pressure; Posture; Diabetes **25**, 509

Dynamic balance recovery; Tai Chi; Falls; Human locomotion; Aging; Gait; Balance; Posture **25**, 205

Dynamic knee orthosis; Patellofemoral pain; Knee; Kinematics; Gait; Lateral step up **25**, 544

Dynamic posturography; Aging; Stability boundary **25**, 56

Dynamic similarity; Walking; Froude number; Joint angles; Plantar pressure **25**, 40

Dynamic stability; Traumatic brain injury; Gait; Variability **25**, 70

Elastic energy; Gait; Locomotion; Ultrasonography **25**, 380

Elderly; Staircase; Gait; Ageing; Intervention **25**, 9

Electrical stimulation; Locomtion; Gait; Stroke; Coordination; Rehabilitation; Gait biomechanics; Functional neuromuscular stimulation **25**, 412

Electromyography; Cerebral palsy; Muscle; Co-contraction; Walking **25**, 580

Electromyography; EMG; Human running; Velocity **25**, 604

Electromyography; Knee; ACL; Motor control; Anticipation **25**, 628

EMG; Electromyography; Human running; Velocity **25**, 604

EMG; Gait; Hemiparesis; Stroke **25**, 342

EMG; Gait transition; M. tibialis anterior; Biomechanics **25**, 639

EMG; HR; Backward; Water; Gait **25**, 222

EMG; Posterior tibial tendon dysfunction; Flatfoot deformity; Gait; Plantar pressure **25**, 555

EMG; Walking speed; Gender; Rating of perceived exertion; Joint motion; Ground reaction force **25**, 385

Equilibrium; Inverted pendulum model; Stepping strategy; Ankle strategy; Gait **25**, 250

Exoskeleton; Powered ankle-foot orthosis; VO_2; Gait biomechanics; Treadmill test **25**, 620

External work; Gait; Accelerometry; Outcome **25**, 25

Falls; Gait; Knee osteoarthritis; Tripping; Pain **25**, 106

Falls; Tai Chi; Human locomotion; Dynamic balance recovery; Aging; Gait; Balance; Posture **25**, 205

Feet; Hyperpronation; Malalignment; Pelvis; Wedges **25**, 127

Flatfoot deformity; Posterior tibial tendon dysfunction; Gait; Plantar pressure; EMG **25**, 555

Foot; Normal; In-shoe; Pressure; Pedar® **25**, 401

Foot; Plantar pressure; Weight distribution; MBT shoes **25**, 648

Footsteps; Gait; Locomotion; Variability; Autocorrelation **25**, 229

Footwear; Balance; Orthotics; Older people; Peripheral neuropathy **25**, 316

Footwear; Gait termination; Insole hardness; Forces; Kinematics **25**, 94

Forces; Gait termination; Insole hardness; Kinematics; Footwear **25**, 94

Forearm rotation; Cerebral palsy; Movement patterns; Upper extremity **25**, 485

Forefoot; Rearfoot; Kinematic coupling; Shank rotation; Gait **25**, 295

Fore-foot; Rear-foot; Mid-foot; Metatarsus; Metatarsal bones; Metatarsophalangeal joint; Kinematics; Gait analysis; Anatomical reference frames **25**, 453

Forward dynamics simulation; Gait; Muscle work; Musculoskeletal model **25**, 360

Froude number; Walking; Dynamic similarity; Joint angles; Plantar pressure **25**, 40

Full community ambulators; Motor task; Walking; Gait decrement; Stroke **25**, 185

Functional method; Hip joint centre; Simulation; Movement; Noise **25**, 353

Functional neuromuscular stimulation; Locomtion; Gait; Stroke; Coordination; Rehabilitation; Electrical stimulation; Gait biomechanics **25**, 412

Functional reach; Center of pressure; Posture; Dynamic balance; Diabetes **25**, 509

Functional; Subtalar; Ankle; Joint axis **25**, 63

Fuzzy decision tree; Gait analysis; Clinical interpretation; Biomechanics; Toe-walking **25**, 475

Gait; Accelerometry; External work; Outcome **25**, 25

Gait; Ageing; Balance; Accidental falls **25**, 243

Gait; Ageing; Locomotion; Coordination; Center of mass; Multiple obstacle avoidance **25**, 502

Gait analysis; Cerebral palsy; Serial casting **25**, 463

Gait analysis; Cerebral palsy; Spastic diplegia; Gait laboratory; Visual gait assessment **25**, 18

Gait analysis; Clinical interpretation; Biomechanics; Fuzzy decision tree; Toe-walking **25**, 475

Gait analysis; Inverse dynamics; Lower limb; Joint coordinate system **25**, 440

Gait analysis; Joint torques redistribution; Physical activity; Inverse dynamics **25**, 259

Gait analysis; Knee kinematics; Attachment systems; Soft tissue artefacts **25**, 533

Gait analysis; Knee osteoarthritis; Principal component analysis; Knee kinematics; Knee kinetics **25**, 86

Gait analysis; Lower limb amputees; Descending stairs; Ascending stairs; Biomechanics **25**, 267

Gait analysis; Rear-foot; Mid-foot; Fore-foot; Metatarsus; Metatarsal bones; Metatarso-phalangeal joint; Kinematics; Anatomical reference frames **25**, 453

Gait biomechanics; Locomtion; Gait; Stroke; Coordination; Rehabilitation; Electrical stimulation; Functional neuromuscular stimulation **25**, 412

Gait biomechanics; Powered ankle-foot orthosis; VO_2; Treadmill test; Exoskeleton **25**, 620

Gait; Cerebral palsy; Pelvic retraction **25**, 425

Gait; Concussion; Cognition; Secondary task; Attention **25**, 406

Gait decrement; Motor task; Walking; Full community ambulators; Stroke **25**, 185

Gait; EMG; HR; Backward; Water **25**, 222

Gait events; Walking; Heel strike; Toe off; Algorithm **25**, 469

Gait; Falls; Knee osteoarthritis; Tripping; Pain **25**, 106

Gait; Forefoot; Rearfoot; Kinematic coupling; Shank rotation **25**, 295

Gait; GAITRite®; Pediatric; Ambulation; Normative **25**, 135

Gait; Gear ratio; Physical activity; Muscle-tendon unit; Muscle strength **25**, 590

Gait; Hemiparesis; Stroke; EMG **25**, 342

Gait; Human locomotion; Knee; Patella; *Australopithecus*; Hominid; Human evolution **25**, 325

Gait initiation; Huntington's disease; Chorea; Akinesia; Hypokinesia **25**, 279

Gait; Inverted pendulum model; Stepping strategy; Ankle strategy; Equilibrium **25**, 250

Gait; Kinematics; Kinetics; Index of normality **25**, 549

Gait laboratory; Cerebral palsy; Spastic diplegia; Gait analysis; Visual gait assessment **25**, 18

Gait; Locomotion; Ultrasonography; Elastic energy **25**, 380

Gait; Locomotion; Variability; Autocorrelation; Footsteps **25**, 229

Gait; Locomtion; Stroke; Coordination; Rehabilitation; Electrical stimulation; Gait biomechanics; Functional neuromuscular stimulation **25**, 412

Gait; Minimum foot clearance; Descriptive statistics; Tripping **25**, 191

Gait; Muscle work; Musculoskeletal model; Forward dynamics simulation **25**, 360

Gait; Patellofemoral pain; Knee; Dynamic knee orthosis; Kinematics; Lateral step up **25**, 544

Gait patterns; Cerebral palsy; Classification system; Validity; Systematic review **25**, 140

Gait; Posterior tibial tendon dysfunction; Flatfoot deformity; Plantar pressure; EMG **25**, 555

Gait quality; Kohonen neural network; Self-organising map; Quantisation error **25**, 374

Gait; Slip; Muscle activity; Proactive responses; Reactive responses **25**, 565

Gait; Stability; Walking velocity **25**, 172

Gait; Staircase; Elderly; Ageing; Intervention **25**, 9

Gait; Tai Chi; Falls; Human locomotion; Dynamic balance recovery; Aging; Balance; Posture **25**, 205

Gait termination; Insole hardness; Forces; Kinematics; Footwear **25**, 94

Gait transition; M. tibialis anterior; EMG; Biomechanics **25**, 639

Gait transitions; Walking; Running; Treadmill **25**, 419

Gait; Traumatic brain injury; Variability; Dynamic stability **25**, 70

Gait; Turning; Ambulation; Locomotion; Video task analysis **25**, 289

GAITRite®; Gait; Pediatric; Ambulation; Normative **25**, 135

Gear ratio; Physical activity; Muscle-tendon unit; Muscle strength; Gait **25**, 590

Gender; Walking speed; Rating of perceived exertion; EMG; Joint motion; Ground reaction force **25**, 385

Generalizability; Center of pressure; Quiet standing; Reliability; Balance **25**, 166

Ground reaction force; Walking speed; Gender; Rating of perceived exertion; EMG; Joint motion **25**, 385

Heel strike; Walking; Gait events; Toe off; Algorithm **25**, 469

Hemiparesis; Gait; Stroke; EMG **25**, 342

Hip joint centre; Simulation; Movement; Functional method; Noise **25**, 353

Hominid; Gait; Human locomotion; Knee; Patella; *Australopithecus*; Human evolution **25**, 325

HR; EMG; Backward; Water; Gait **25**, 222

Human evolution; Gait; Human locomotion; Knee; Patella; *Australopithecus*; Hominid **25**, 325

Human locomotion; Gait; Knee; Patella; *Australopithecus*; Hominid; Human evolution **25**, 325

Human locomotion; Tai Chi; Falls; Dynamic balance recovery; Aging; Gait; Balance; Posture **25**, 205

Human movement analysis; Timing variability; Time-scale normalization **25**, 153

Human posture; Sensory interaction; Vision; Proprioception; Muscle vibration **25**, 99

Human running; EMG; Electromyography; Velocity **25**, 604

Huntington's disease; Gait initiation; Chorea; Akinesia; Hypokinesia **25**, 279

Hyperpronation; Malalignment; Feet; Pelvis; Wedges **25**, 127

Hypokinesia; Huntington's disease; Gait initiation; Chorea; Akinesia **25**, 279

Index of normality; Gait; Kinematics; Kinetics **25**, 549

Information-processing; Posture; Attention; Dual-task paradigm **25**, 121

In-shoe; Normal; Foot; Pressure; Pedar® **25**, 401

Insole hardness; Gait termination; Forces; Kinematics; Footwear **25**, 94

Intervention; Staircase; Gait; Elderly; Ageing **25**, 9

Intra-rater reliability; CODA; Kinematics; Kinetics; Spatio-temporal parameters **25**, 303

Inverse dynamics; Gait analysis; Lower limb; Joint coordinate system **25**, 440

Inverse dynamics; Joint torques redistribution; Physical activity; Gait analysis **25**, 259

Inverted pendulum model; Stepping strategy; Ankle strategy; Equilibrium; Gait **25**, 250

Isokinetic; Torque; 3D kinematics; Optoelectronic **25**, 236

Joint angles; Walking; Froude number; Dynamic similarity; Plantar pressure **25**, 40

Joint axis; Subtalar; Ankle; Functional **25**, 63

Joint coordinate system; Gait analysis; Inverse dynamics; Lower limb **25**, 440

Joint motion; Walking speed; Gender; Rating of perceived exertion; EMG; Ground reaction force **25**, 385

Joint stiffness; Biomechanics; Postural control; Balance; Stability threshold **25**, 432

Joint torques redistribution; Physical activity; Inverse dynamics; Gait analysis **25**, 259

Joint work; AFO; Motor disorder; Calf muscle paresis; Ankle power **25**, 652

3D kinematics; Isokinetic; Torque; Optoelectronic **25**, 236

3D kinematics; Upper extremity; Normal; Activities daily living; Motion analysis **25**, 573

Kinematic analysis; Reaching; Cerebral palsy; Movement disorders **25**, 493

Kinematic coupling; Forefoot; Rearfoot; Shank rotation; Gait **25**, 295

Kinematics; CODA; Intra-rater reliability; Kinetics; Spatio-temporal parameters **25**, 303

Kinematics; Gait; Kinetics; Index of normality **25**, 549

Kinematics; Gait termination; Insole hardness; Forces; Footwear **25**, 94

Kinematics; Patellofemoral pain; Knee; Dynamic knee orthosis; Gait; Lateral step up **25**, 544

Kinematics; Rear-foot; Mid-foot; Fore-foot; Metatarsus; Metatarsal bones; Metatarso-phalangeal joint; Gait analysis; Anatomical reference frames **25**, 453

Kinetic; Limb segment; Mass; Torque; Children; Model; Anthropometry **25**, 615

Kinetics; CODA; Intra-rater reliability; Kinematics; Spatio-temporal parameters **25**, 303

Kinetics; Gait; Kinematics; Index of normality **25**, 549

Knee; ACL; Motor control; Electromyography; Anticipation **25**, 628

Knee; Gait; Human locomotion; Patella; *Australopithecus*; Hominid; Human evolution **25**, 325

Knee kinematics; Gait analysis; Attachment systems; Soft tissue artefacts **25**, 533

Knee kinematics; Gait analysis; Knee osteoarthritis; Principal component analysis; Knee kinetics **25**, 86

Knee kinetics; Gait analysis; Knee osteoarthritis; Principal component analysis; Knee kinematics **25**, 86

Knee osteoarthritis; Gait analysis; Principal component analysis; Knee kinematics; Knee kinetics **25**, 86

Knee osteoarthritis; Gait; Falls; Tripping; Pain **25**, 106

Knee; Patellofemoral pain; Dynamic knee orthosis; Kinematics; Gait; Lateral step up **25**, 544

Kohonen neural network; Gait quality; Self-organising map; Quantisation error **25**, 374

Lateral step up; Patellofemoral pain; Knee; Dynamic knee orthosis; Kinematics; Gait **25**, 544

Limb segment; Mass; Torque; Children; Model; Anthropometry; Kinetic **25**, 615

Locomotion; Ageing; Coordination; Center of mass; Multiple obstacle avoidance; Gait **25**, 502

Locomotion; Gait; Ultrasonography; Elastic energy **25**, 380

Locomotion; Gait; Variability; Autocorrelation; Footsteps **25**, 229

Locomotion; Steering; Coordination; Anticipatory; Balance confidence; Older adults **25**, 393

Locomotion; Turning; Ambulation; Gait; Video task analysis **25**, 289

Locomtion; Gait; Stroke; Coordination; Rehabilitation; Electrical stimulation; Gait biomechanics; Functional neuromuscular stimulation **25**, 412

Lower limb amputees; Descending stairs; Ascending stairs; Biomechanics; Gait analysis **25**, 267

Lower limb; Gait analysis; Inverse dynamics; Joint coordinate system **25**, 440

M. tibialis anterior; Gait transition; EMG; Biomechanics **25**, 639

Malalignment; Hyperpronation; Feet; Pelvis; Wedges **25**, 127

Mass; Limb segment; Torque; Children; Model; Anthropometry; Kinetic **25**, 615

MBT shoes; Foot; Plantar pressure; Weight distribution **25**, 648

Metatarsal bones; Rear-foot; Mid-foot; Fore-foot; Metatarsus; Metatarso-phalangeal joint; Kinematics; Gait analysis; Anatomical reference frames **25**, 453

Metatarso-phalangeal joint; Rear-foot; Mid-foot; Fore-foot; Metatarsus; Metatarsal bones; Kinematics; Gait analysis; Anatomical reference frames **25**, 453

Metatarsus; Rear-foot; Mid-foot; Fore-foot; Metatarsal bones; Metatarso-phalangeal joint; Kinematics; Gait analysis; Anatomical reference frames **25**, 453

Mid-foot; Rear-foot; Fore-foot; Metatarsus; Metatarsal bones; Metatarso-phalangeal joint; Kinematics; Gait analysis; Anatomical reference frames **25**, 453

Minimum foot clearance; Gait; Descriptive statistics; Tripping **25**, 191

Model; Limb segment; Mass; Torque; Children; Anthropometry; Kinetic **25**, 615

Motion analysis; Upper extremity; 3D kinematics; Normal; Activities daily living **25**, 573

Motor control; Knee; ACL; Electromyography; Anticipation **25**, 628

Motor disorder; AFO; Calf muscle paresis; Ankle power; Joint work **25**, 652

Motor task; Walking; Gait decrement; Full community ambulators; Stroke **25**, 185

Movement disorders; Reaching; Kinematic analysis; Cerebral palsy **25**, 493

Movement; Hip joint centre; Simulation; Functional method; Noise **25**, 353

Movement patterns; Cerebral palsy; Upper extremity; Forearm rotation **25**, 485

Multiple obstacle avoidance; Ageing; Locomotion; Coordination; Center of mass; Gait **25**, 502

Muscle activity; Slip; Gait; Proactive responses; Reactive responses **25**, 565

Muscle; Electromyography; Cerebral palsy; Co-contraction; Walking **25**, 580

Muscle strength; Gear ratio; Physical activity; Muscle-tendon unit; Gait **25**, 590

Muscle vibration; Human posture; Sensory interaction; Vision; Proprioception **25**, 99

Muscle work; Gait; Musculoskeletal model; Forward dynamics simulation **25**, 360

Muscle-tendon unit; Gear ratio; Physical activity; Muscle strength; Gait **25**, 590

Muscular stiffness; Posture; Steadiness; Respiration; Spine mobility **25**, 199

Musculoskeletal model; Gait; Muscle work; Forward dynamics simulation **25**, 360

Noise; Hip joint centre; Simulation; Movement; Functional method **25**, 353

Normal; In-shoe; Foot; Pressure; Pedar® **25**, 401

Normal; Upper extremity; 3D kinematics; Activities daily living; Motion analysis **25**, 573

Normative; Gait; GAITRite®; Pediatric; Ambulation **25**, 135

Observational gait assessment; Cluster analysis; Cerebral palsy; Sagittal gait patterns; Physical therapy **25**, 157

Older adults; Steering; Locomotion; Coordination; Anticipatory; Balance confidence **25**, 393

Older people; Balance; Footwear; Orthotics; Peripheral neuropathy **25**, 316

Optoelectronic; Isokinetic; Torque; 3D kinematics **25**, 236

Orthotics; Balance; Footwear; Older people; Peripheral neuropathy **25**, 316

Osteoarthritis; Total knee arthroplasty; Balance control; Postural perturbation **25**, 112

Outcome evaluation; Accelerometers and gyroscopes; Clinical scores; Ambulatory system **25**, 523

Outcome; Gait; Accelerometry; External work **25**, 25

Pain; Gait; Falls; Knee osteoarthritis; Tripping **25**, 106

Patella; Gait; Human locomotion; Knee; *Australopithecus*; Hominid; Human evolution **25**, 325

Patellofemoral pain; Knee; Dynamic knee orthosis; Kinematics; Gait; Lateral step up **25**, 544

Pedar®; Normal; In-shoe; Foot; Pressure **25**, 401

Pediatric; Gait; GAITRite®; Ambulation; Normative **25**, 135

Pelvic retraction; Gait; Cerebral palsy **25**, 425

Pelvis; Hyperpronation; Malalignment; Feet; Wedges **25**, 127

Peripheral neuropathy; Balance; Footwear; Orthotics; Older people **25**, 316

Physical activity; Gear ratio; Muscle-tendon unit; Muscle strength; Gait **25**, 590

Physical activity; Joint torques redistribution; Inverse dynamics; Gait analysis **25**, 259

Physical therapy; Cluster analysis; Cerebral palsy; Sagittal gait patterns; Observational gait assessment **25**, 157

Plantar pressure; Foot; Weight distribution; MBT shoes **25**, 648

Plantar pressure; Posterior tibial tendon dysfunction; Flatfoot deformity; Gait; EMG **25**, 555

Plantar pressure; Walking; Froude number; Dynamic similarity; Joint angles **25**, 40

Posterior tibial tendon dysfunction; Flatfoot deformity; Gait; Plantar pressure; EMG **25**, 555

Postural control; Ageing; Dual-task; Cognitive tasks; Attentional resources **25**, 179

Postural control; Biomechanics; Joint stiffness; Balance; Stability threshold **25**, 432

Postural control; Working memory; Dual-tasking; Detrended fluctuation analysis **25**, 368

Postural perturbation; Total knee arthroplasty; Osteoarthritis; Balance control **25**, 112

Posture; Attention; Dual-task paradigm; Information-processing **25**, 121

Posture; Functional reach; Center of pressure; Dynamic balance; Diabetes **25**, 509

Posture; Steadiness; Respiration; Muscular stiffness; Spine mobility **25**, 199

Posture; Tai Chi; Falls; Human locomotion; Dynamic balance recovery; Aging; Gait; Balance **25**, 205

Posture; Virtual reality; Vision; Base of support; Sensory re-weighting **25**, 49

Powered ankle-foot orthosis; VO_2; Gait biomechanics; Treadmill test; Exoskeleton **25**, 620

Pressure; Normal; In-shoe; Foot; Pedar® **25**, 401

Principal component analysis; Gait analysis; Knee osteoarthritis; Knee kinematics; Knee kinetics **25**, 86

Proactive responses; Slip; Muscle activity; Gait; Reactive responses **25**, 565

Prolonged eversion; Subtalar joint **25**, 2

Proprioception; Human posture; Sensory interaction; Vision; Muscle vibration **25**, 99

Quantisation error; Gait quality; Kohonen neural network; Self-organising map **25**, 374

Quiet standing; Center of pressure; Generalizability; Reliability; Balance **25**, 166

Rapid Step Test; Biomechanics; Stepping; Anticipatory postural adjustment; Balance **25**, 515

Rating of perceived exertion; Walking speed; Gender; EMG; Joint motion; Ground reaction force **25**, 385

Reaching; Kinematic analysis; Cerebral palsy; Movement disorders **25**, 493

Reactive responses; Slip; Muscle activity; Gait; Proactive responses **25**, 565

Rearfoot; Forefoot; Kinematic coupling, Shank rotation; Gait **25**, 295

Rear-foot; Mid-foot; Fore-foot; Metatarsus; Metatarsal bones; Metatarsophalangeal joint; Kinematics; Gait analysis; Anatomical reference frames **25**, 453

Recurrent ankle sprain; Balance; Stabilometry **25**, 33

Rehabilitation; Locomtion; Gait; Stroke; Coordination; Electrical stimulation; Gait biomechanics; Functional neuromuscular stimulation **25**, 412

Reliability; Center of pressure; Generalizability; Quiet standing; Balance **25**, 166

Reliability; Transmalleolar axis; Clinical measurement **25**, 597

Respiration; Posture; Steadiness; Muscular stiffness; Spine mobility **25**, 199

Running; Gait transitions; Walking; Treadmill **25**, 419

Sagittal gait patterns; Cluster analysis; Cerebral palsy; Observational gait assessment; Physical therapy **25**, 157

Secondary task; Concussion; Cognition; Attention; Gait **25**, 406

Self-organising map; Gait quality; Kohonen neural network; Quantisation error **25**, 374

Sensory interaction; Human posture; Vision; Proprioception; Muscle vibration **25**, 99

Sensory re-weighting; Posture; Virtual reality; Vision; Base of support **25**, 49

Serial casting; Cerebral palsy; Gait analysis **25**, 463

Shank rotation; Forefoot; Rearfoot; Kinematic coupling; Gait **25**, 295

Simulation; Hip joint centre; Movement; Functional method; Noise **25**, 353

Slip; Muscle activity; Gait; Proactive responses; Reactive responses **25**, 565

Soft tissue artefacts; Gait analysis; Knee kinematics; Attachment systems **25**, 533

Spastic diplegia; Cerebral palsy; Gait analysis; Gait laboratory; Visual gait assessment **25**, 18

Spatio-temporal parameters; CODA; Intra-rater reliability; Kinematics; Kinetics **25**, 303

Spectral analysis; Balance; Computerized dynamic posturography **25**, 215

Spine mobility; Posture; Steadiness; Respiration; Muscular stiffness **25**, 199

Stability boundary; Aging; Dynamic posturography **25**, 56

Stability; Gait; Walking velocity **25**, 172

Stability threshold; Biomechanics; Joint stiffness; Postural control; Balance **25**, 432

Stabilometry; Balance; Recurrent ankle sprain **25**, 33

Staircase; Gait; Elderly; Ageing; Intervention **25**, 9

Standing posture; Anticipatory postural control; Contingent negative variation; Upper limb movement **25**, 78

Steadiness; Posture; Respiration; Muscular stiffness; Spine mobility **25**, 199

Steering; Locomotion; Coordination; Anticipatory; Balance confidence; Older adults **25**, 393

Stepping; Biomechanics; Rapid Step Test; Anticipatory postural adjustment; Balance **25**, 515

Stepping strategy; Inverted pendulum model; Ankle strategy; Equilibrium; Gait **25**, 250

Stroke; Gait; Hemiparesis; EMG **25**, 342

Stroke; Locomtion; Gait; Coordination; Rehabilitation; Electrical stimulation; Gait biomechanics; Functional neuromuscular stimulation **25**, 412

Stroke; Motor task; Walking; Gait decrement; Full community ambulators **25**, 185

Subtalar; Ankle; Functional; Joint axis **25**, 63

Subtalar joint; Prolonged eversion **25**, 2

Systematic review; Cerebral palsy; Gait patterns; Classification system; Validity **25**, 140

Tai Chi; Falls; Human locomotion; Dynamic balance recovery; Aging; Gait; Balance; Posture **25**, 205

Time-scale normalization; Timing variability; Human movement analysis **25**, 153

Timing variability; Time-scale normalization; Human movement analysis **25**, 153

Toe off; Walking; Gait events; Heel strike; Algorithm **25**, 469

Toe-walking; Gait analysis; Clinical interpretation; Biomechanics; Fuzzy decision tree **25**, 475

Torque; Isokinetic; 3D kinematics; Optoelectronic **25**, 236

Torque; Limb segment; Mass; Children; Model; Anthropometry; Kinetic **25**, 615

Total knee arthroplasty; Osteoarthritis; Balance control; Postural perturbation **25**, 112

Transmalleolar axis; Clinical measurement; Reliability **25**, 597

Traumatic brain injury; Gait; Variability; Dynamic stability **25**, 70

Treadmill; Gait transitions; Walking; Running **25**, 419

Treadmill test; Powered ankle-foot orthosis; VO_2; Gait biomechanics; Exoskeleton **25**, 620

Tripping; Gait; Falls; Knee osteoarthritis; Pain **25**, 106

Tripping; Gait; Minimum foot clearance; Descriptive statistics **25**, 191

Turning; Ambulation; Gait; Locomotion; Video task analysis **25**, 289

Ultrasonography; Gait; Locomotion; Elastic energy **25**, 380

Upper extremity; 3D kinematics; Normal; Activities daily living; Motion analysis **25**, 573

Upper extremity; Cerebral palsy; Movement patterns; Forearm rotation **25**, 485

Upper limb movement; Anticipatory postural control; Contingent negative variation; Standing posture **25**, 78

Validity; Cerebral palsy; Gait patterns; Classification system; Systematic review **25**, 140

Variability; Gait; Locomotion; Autocorrelation; Footsteps **25**, 229

Variability; Traumatic brain injury; Gait; Dynamic stability **25**, 70

Velocity; EMG; Electromyography; Human running **25**, 604

Video task analysis; Turning; Ambulation; Gait; Locomotion **25**, 289

Virtual reality; Posture; Vision; Base of support; Sensory re-weighting **25**, 49

Vision; Human posture; Sensory interaction; Proprioception; Muscle vibration **25**, 99

Vision; Posture; Virtual reality; Base of support; Sensory re-weighting **25**, 49

Visual gait assessment; Cerebral palsy; Spastic diplegia; Gait analysis; Gait laboratory **25**, 18

VO_2; Powered ankle-foot orthosis; Gait biomechanics; Treadmill test; Exoskeleton **25**, 620

Walking; Electromyography; Cerebral palsy; Muscle; Co-contraction **25**, 580

Walking; Froude number; Dynamic similarity; Joint angles; Plantar pressure **25**, 40

Walking; Gait events; Heel strike; Toe off; Algorithm **25**, 469

Walking; Gait transitions; Running; Treadmill **25**, 419

Walking; Motor task; Gait decrement; Full community ambulators; Stroke **25**, 185

Walking speed; Gender; Rating of perceived exertion; EMG; Joint motion; Ground reaction force **25**, 385

Walking velocity; Gait; Stability **25**, 172

Water; EMG; HR; Backward; Gait **25**, 222

Wedges; Hyperpronation; Malalignment; Feet; Pelvis **25**, 127

Weight distribution; Foot; Plantar pressure; MBT shoes **25**, 648

Working memory; Postural control; Dual-tasking; Detrended fluctuation analysis **25**, 368